

Tal-Tec

Livestock Equipment



Cattle | Sheep | Goats | Pigs



eWeigh Instrument

Code: 11020

- With the eWeigh instrument and LS4 Loadbars you can upload the animals weight to the iLivestock App to access anywhere from your Apple or Android device.
- It comes with a 1year iLivestock subscription.
- The Agrident AWR300 EID eartag reader can be used to quickly scan the eartag and allocate the animals weight.
- Ear tag reader and tags sold separately.

L x H x W = kg 140mm x 60mm x 100mm = 0.5kg (incl. plug)



LS4 Electronic Loadbar Scale

Code: 11040 (600mm)

Code: 11050 (1000mm)

- Weighs in 1kg increments. In fine mode weigh in 100g increments up to 200kg. Damper function.
- Choose between 600mm loadbars that weighs 2 000kg or 1000mm loadbars that weigh 4 000kg.
- 6v rechargeable battery that can last up to 8hrs. Can operate from 220V AC, as well as 12 V DC. Both cables and adaptors are supplied.
- Can keep some statistics, but can't be downloaded to PC - min, max, total and average weight.

L x H x W = kg 600mm/1000mm x 120mm x 80mm = 21kg/40kg



LS4H Electronic Hang Scale

Code: 11080

- Electronic hang type scale that weighs 0-500kg.
- Damper function for jumpy animals and statistics(max, min & avg weight).
- Can also be used to weigh carcasses and bags.
- 6v rechargeable battery that can last up to 8hrs. Can operate from 220V AC, as well as 12 V DC. Both cables and adaptors are supplied.
- Weigh in 100grams when pressing "fine mode".

L x H x W = kg 300mm x 100mm x 120mm = 1.5kg (instrument)

Weighing Platform

Code: 11110

- Fits into your crush to weigh animals. Can be used for any livestock.
- Floor is made out of checker plate to reduce slipping.
- Platform is used with the LS4 Scale with 600mm loadbars.
- Light weight, therefore can quickly be moved around by two people.
- Galvanised option also available on request.

L x H x W = kg 2200mm x 380mm x 650mm = 63kg



Cattle Weighing Crate

Code: 11150 (Sliding Gates) Code: 11180 (with Neck Clamp)

- Solid sides to reduce injury and stress when working with scared cattle.
- Floor has self draining grip plated steps to prevent slipping.
- Comes standard with sliding gates at the front and at the back. Front sliding gate can be replaced with a neck clamp on request.
- Cattle crate uses the LS4 scale with 1000mm loadbars.

L x H x W = kg 2450mm x 2000mm x 1450mm = 270kg



Cattle Working Crate

Code: 11200

- Floor has self draining grip plated steps to prevent slipping.
- Comes with a neck clamp at the front and sliding gate at the back.
- Side panels to push the body of the animal to the side to restrict movement.
- LS4 scale with 1000mm loadbars can be fitted at the bottom to weigh.

L x H x W = kg 2500mm x 2200mm x 1750mm = 260kg





Cattle Hang Crate

Code: 11220

- Solid sides to reduce injury and stress when working with scared cattle.
- Floor has self draining grip plated steps to prevent slipping.
- Comes standard with sliding gates.
- Cattle crate uses the LS4 scale with 1000mm loadbars, which gets bolted on at the top. By bolting the loadbars at the top the loadbars doesn't stand in the mud and manure.

L x H x W = kg 2500mm x 2200mm x 1450mm = 410kg



Pallet Weigher

Code: 11260

- Perfect for weighing any feed on a pallet or in a bag.
- Uses the LS4 Scale with 1000mm loadbars, that gets bolted on at the bottom.
- Made out of thick 4mm durable steel.

L x H x W = kg 1200mm x 100mm x 1200mm = 85kg



Sheep/Pig Hang Crate

Code: 11510

- Solid sides with butterfly doors at the front and back.
- By using the lever arms you lift the crate and it can be pushed around on wheels.
- Uses the Mini Crane scale or LS4H hang scale.
- The scale gets hooked at the arch on top.

L x H x W = kg 1300mm x 1350mm x 700mm = 80kg

Sheep/Pig Loadbar Crate

Code: 11530

- Solid sides with butterfly doors at the front and back.
- By using the lever arms you lift the crate and it can be pushed around on wheels.
- Uses the LS4 electronic scale with 600mm loadbars.
- The loadbars gets bolted on to the crate at the bottom.

L x H x W = kg 1300mm x 1250mm x 700mm = 75kg



Mini Crane Scale

Code: 11520

- Electronic hang scale, weighs up to 300kg.
- No damper function, the scale doesn't stabilise if the animal is still moving around.
- "Hold" function to keep the weight on the screen, even if the animal has left the crate.
- Uses 3 x "AA" batteries.
- Connects to the sheep hang crate.

L x H x W = kg 190mm x 60mm x 180mm = 1kg



Neck Clamp (Brahman)

Code: 12010 (Painted)

Code: 12020 (Galvanised)

- Suitable for all breeds of cattle from 6 months old.
- In the open position the clamp provides a clear passage, no animal will get stuck.
- Reversible and can be fitted to any crush by using the brackets provided.
- Doors can be adjusted to fit different sizes of cattle.
- Base plate is 4mm thick and ratchet 20mm thick.

L x H x W = kg 1200mm x 2100mm x 250mm = 105kg





Neck Clamp (Feedlot)

Code: 12030

- Suitable for all breeds of cattle from 6 months old.
- Made for a feedlot setup only.
- Working 1000 cattle per day everyday, not weighing more than 350kg.
- Doors made from thicker steel to endure everyday use.
- Bottom of doors are connected to bushes for easy open and close.

L x H x W = kg 1700mm x 2300mm x 300mm = 160kg



Calf Neck Clamp

Code: 12060

- Suitable for calves up to 6 months.
- Fits on to your existing crush of 500mm wide.
- Ideal for de-horning, ear tagging and branding.
- The box welded on to the neck clamp at the back is for extra support when they're standing on the floor.
- Can be adjusted at the bottom for bigger calves.

L x H x W = kg 600mm x 1600mm x 1500mm = 85kg



Neck & Body Clamp

Code: 12130 (Standard)

Code: 12120 (Feedlot)

- Restrains the head and body of the animal.
- Access to the whole body through the side panels and doors. Comes with a sliding gate at the back.
- Perfect for branding, dosing, ear tagging and embryo transplanting. Feet can also be inspected.
- Can be adjusted for small calves or big bulls.
- LS4 Scale (1000mm loadbars) can be mounted at the bottom to weigh.

L x H x W = kg 2400mm x 2200mm x 1750mm = 420kg

Vet Clamp

Code: 12140 (Clamp only)

Code: 12150 (Box Gate)

- Floor has a 12 gradient as required by a vet for embryo transplanting and other veterinary procedures.
- Suitable for all sizes and cattle breeds.
- Box gate can be bought as an extra for easy access to the animal from the back.
- Checker plate steps to prevent slipping.

L x H x W = kg 2250mm x 2200mm x 1800mm = 255kg



Calf Squeeze

Code: 12250

- Depending on the breed, it's ideal to restrain calves up to 10 weeks.
- Clamp the body and by using the handle, the head gets pushed down.
- Ideal for de-horning and ear tagging.
- Calf enter and exit at the back.
- Don't push handle down too hard, otherwise you might injure the calf.

L x H x W = kg 1300mm x 850mm x 600mm = 31kg



Cattle Tilt

Code: 12310 (Left-Hand)

Code: 12315 (Right-Hand)

- Designed to tilt the cattle on its side to work on the side or feet of the animal.
- Gain access to the animal by opening the side panels and doors at the feet.
- Can only be operated from one side, therefore you can choose between left-hand or right-hand.
- Adjustable for different sizes of cattle.
- Can not be used as a scale.

L x H x W = kg 2400mm x 2300mm x 2000mm = 415kg





Calf & Tollie Tilt

Code: 12340

- Suitable for calves between 10 weeks and 6 months, depending on the breed.
- Clamps the neck and body to restrict movement.
- Tilt the calf on its side to work on it through removable panels.
- Tilt is operated from left side only. A neck clamp can be fitted on both ends to access both sides of the animal.
- Can not be used as a scale.

L x H x W = kg 1850mm x 1900mm x 1600mm = 275kg



Cattle Self-feeder

Code: 13010 (1.85m)

Code: 13040 (2.45m)

- Available in 1.85m and 2.45m.
- Cattle feed from both sides.
- Open panel on the roof to insert feed.
- 1.85m feeder can feed 6 cattle at a time and can hold up to 750kg feed.
- 2.45m feeder can feed 8 cattle at a time and can hold up to 1000kg feed.

L x H x W = kg 1900mm/2500mm x 1800mm x 1950mm = 220kg/265kg



Cattle Feedlot Trough

Code: 13060 (with divisions & roof)

Code: 13065 (with divisions)

Code: 13068 (no divisions & roof)

- Have 7 head divisions and is 2.45m in length.
- Insert feed on the one side and cattle feed from the other side.
- Feedlot trough is available with divisions and roof, with divisions only or no divisions and roof.
- Perfect for a feedlot setup.

L x H x W = kg 2460mm x 1260mm x 1050mm = 76kg (code: 13065)

Cattle Ring Feeders

Code: 13120 (2.3m) Code: 13160 (1.4m)

- Perfect for feeding cattle bales and prevent them from climbing inside.
- Two options available 2.3m and 1.4m
- 2.3m can feed up to 20 cattle simultaneously and is used for bigger cattle.
- 1.4m can feed up to 10 cattle simultaneously and is normally used for tollies.
- The green fiber bin can be bought separately.

Ø x H = kg 2450mm/1500mm x 1200mm = 50kg/25kg



Cattle Ring Feeder with plate

Code: 13150 (1.5m) Code: 13140 (1.9m)

- Perfect for feeding cattle bales and prevent them from climbing inside.
- The plate at the bottom holds the feed inside.
- Two options available 1.5m and 1.9m
- 1.5m can feed 12 cattle simultaneously and the 1.9 can feed 18.

Ø x H = kg 1550mm/1950mm x 1200mm = 55kg/70kg



Fiber Bins

Code: 13180 (1.4m) Code: 13130 (2.3m)

- Made out of durable fibreglass.
- Bins are used in the cattle 1.4m & 2.3 rings and sheep 1.4m ring.
- The cone shape in the middle pushes the fine feed to the side for easy access.

Ø x H = kg 1500mm/2300mm x 350mm/450mm = 10kg/25kg





Half-moon Horse Feeder/Drinker

Code: 13210 (Feeder)

Code: 14210 (Drinker)

- Perfect size for any horse stable or camp.
- Capacity of 20L.
- The drinker comes with a small aqua valve and draining plug at the bottom.
- Pre-drilled holes on back-plate for easy installation.

L x H x W = kg 700mm x 240mm x 360mm = 7kg



Sheep Self-feeder

Code: 13510

- Feed 10 sheep simultaneously.
- Can hold up to 500kg of feed.
- Sheep can feed from both sides.
- Open panel on the roof to insert feed.

L x H x W = kg 1850mm x 1200mm x 1600mm = 145kg



Sheep Ring Feeder

Code: 13520

- Diameter of 1.4m
- Feed 21 sheep simultaneously.
- Fiber bin can be bought separately.

Ø x H = kg 1400mm x 770mm = 18kg

Feed Troughs

Code: 13600 (1.22m) **Code: 13610 (2.45m)**

- Keep the feed from the ground.
- Ideally used for special feed for small animals.
- Durable and easy to move around.

L x H x W = kg 1230mm/2460mm x 270mm x 430mm = 11kg/22kg



Square Bale Feeder

Code: 13640

- Takes a square bale.
- Reduces mess of feed by preventing the animals climbing on feed.
- Feed 10 goats or sheep simultaneously.

L x H x W = kg 900mm x 1000mm x 900mm = 30kg



Goat Hay Rack

Code: 13650

- Perfect for feeding goats and sheep.
- Good eating position.
- Keep animals from jumping on to the feed and messing on the ground.

L x H x W = kg 3070mm x 1050mm x 1050mm = 45kg





Pig Self-Feeder

Code: 13760

- Keep feed from the ground and preventing it from getting wet and stepped on.
- Open hinged lid at the top to insert feed.
- Feed from one side only.
- Feed 10 pigs simultaneously.

L x H x W = kg 1860mm x 760mm x 530mm = 62kg



Pig Farrowing Crate

Code: 13800

- Restricts the sow's movement and allow piglets to move freely.
- Used to wean piglets after birth.
- Crate can help to ensure optimal temperatures for piglets and sow.
- Can prevent sow from rolling over her piglets.
- Comes with a gate at the back and feeder at the front.

L x H x W = kg 2140mm x 1000mm x 1000mm = 38kg



Cattle Water Trough

Code: 14010 (1.85m)

Code: 14020 (2.45m)

Code: 14030 (3.7m)

- Inside coated with black epoxy tar to protect against alkalis and mineral oils.
- Draining plug at the bottom.
- Ball float valve can be bought separately.
- Cover to protect the ball float valve.

L x H x W = kg 1850mm x 500mm x 700mm = 27kg

L x H x W = kg 2450mm x 500mm x 700mm = 34kg

L x H x W = kg 3700mm x 500mm x 700mm = 48kg

Sheep Water Troughs

Code: 14510 (0.92m) Code: 14520 (1.85m)

- Inside coated with black epoxy tar to protect against alkalis and mineral oils.
- Available in 0.92m and 1.85m.
- Small aqua valve can be bought separately.
- Cover to protect the small aqua valve.

L x H x W = kg 920mm/1850mm x 260mm x 340mm = 6kg/9kg



Drinking Bowl

Code: 14550 (Fiber) Code: 14560 (Steel)

- Code 14550 is made out of fibreglass and code 14560 out of galvanised steel.
- Can be used as a drinker or feeder for small livestock.
- Small aqua valve can be bought separately.
- Steel back-plate can be added to hook on a kraal side or mount to a wall.
- Capacity of 3.5L.

L x H x W = kg 290mm x 150mm x 20mm = 0.6kg/2.6kg



Plastic Drinker

Code: 14552 (no plate) Code: 14553 (with plate)

- Can be used as a drinker or feeder for small livestock.
- Made out of heavy duty plastic.
- Capacity of 3L.
- Small aqua valve can be bought separately.
- Steel back-plate can be added to hook on a kraal side or mount to a wall.

L x H x W = kg 330mm x 180mm x 230mm = 1kg





Cattle Crush

Code: 15010

- Complete 3m section.
- Consists of 6 pieces - 2 x sides, 2 x top struts and 2 x foot pieces.
- Inside width of 700mm.
- More crush section can be added to make it longer.
- All pieces gets bolted together.

L x H x W = kg 3000mm x 1850mm x 2300mm = 100kg



Cattle Kraal Side

Code: 15050 (3.0m)

Code: 15060 (2.25m)

- Kraal sides are made out of 48x2mm tubing.
- Each side is being sold separately.
- Attach the sides together by using a steel pin to make your camp.
- Can be attached to your crush section by using ring bolts.

L x H x W = kg 3000/2250mm x 1600mm x 50mm = 36kg/27kg



Cattle Sorting Gate (3pc)

Code: 15120

- Used inside your crush to sort cattle 2-way - straight and left or straight and right.
- The filler piece can be replaced with another gate to sort 3-way.
- Can be bolted on to any crush by using the brackets supplied.

L x H x W = kg 1000mm x 1850mm x 700mm = 51kg

Cattle Draft Gate (2-way)

Code: 15130

- Sorts cattle left and right.
- Bolts on to your neck clamp or crush section.
- Operated from the side by using the lever at the top.
- Side panels that can be opened to access the head of the animal when bolted to a neck clamp.

L x H x W = kg 1800mm x 2100mm x 1550mm = 81kg



Cattle Sliding Gate

Code: 15180

- Can be bolted to any crush with a inside width of 700mm.
- Opens side ways.
- Slide mechanism is at the top to prevent mud from getting stuck at the bottom.

L x H x W = kg 1320mm x 2060mm x 200mm = 64kg



Cattle Access Gate

Code: 15190

- Used in your kraal to enter and exit.
- Gate swings open in any direction and have a latch to close.
- Comes with lugs on the side to connect to your kraal sides by using a steel pin.

L x H x W = kg 1060mm x 2000mm x 60mm = 24kg





Cattle Gated Kraal Side

Code: 15200

- Kraal side is 3.0m in length.
- Attach to other sides by using a steel pin.
- Perfect in a kraal for cattle to enter and exit.
- Gate can open both ways and can be closed using the latch.

L x H x W = kg 3000mm x 1850mm x 80mm = 47kg



Cattle Arch Frame

Code: 15210

- Attach to kraal sides to form a crush.
- Uses a steel pin to attach to other sides.
- Inside width of 700mm.

L x H x W = kg 800mm x 1900mm x 50mm = 15kg



Cattle Circular Force Pen (Half-moon only)

Code: 15220

- Perfect setup to force cattle in to the crush.
- The circular force pen is just the half moon section without crushes.
- Force gate comes with a brake so cattle can't push it open.
- Can take up to 30 cattle at a time, depending on the size and breed.

L x H x W = kg 8500mm x 2200mm x 6500mm = 425kg

Calf Creep Panel

Code: 15250

- Used to allow only calves to go through.
- Perfect for restricting bigger cattle to access special feed.
- Adjustable pipe that moves up and down according to your needs.
- Adjustable heights 900mm to 1100mm.

L x H x W = kg 2400mm x 1500mm x 100mm = 30kg



Bend for Cattle Crush

Code: 15260

- Gets bolted on between two crush sections to form a 45° bend.

L x H x W = kg 700mm x 1160mm x 150mm = 11kg



Anti-Backing Gate set

Code: 15272

- Set of 2 gates, one on each side.
- Cattle pushes it open when walking through. After they have passed, the gates closes and blocks them from reversing.
- Bolts on to your crush.

L x H x W = kg 530mm x 110mm x 380mm = 5kg (each)





FP Kraal

Code: 15310 (3.0m)

Code: 15330 (2.3m)

- Kraal sides used in the Portable Kraal Unit.
- Uses a fixed steel pin.
- Comes in 3.0m and 2.3m.
- Fits on the Portable Kraal Trailer.

L x H x W = kg 3000/2300mm x 1600mm x 60mm = 30kg/26kg



FP Kraal with Gate

Code: 15320

- Used in the Portable Kraal Unit.
- Uses a fixed steel pin.
- Fits on the Portable Kraal Trailer.
- The gate is the full size of the side.

L x H x W = kg 2300mm x 1900mm x 60mm = 40kg



FP Kraal Arch

Code: 15350 (normal)

Code: 15360 (large)

Code: 15380 (normal with gate)

- Used in the Portable Kraal Unit.
- Uses a fixed steel pin.
- Fits on the Portable Kraal Trailer.
- Normal arch is 800mm wide and the large arch 2300mm.

L x H x W = kg 800/2300mm x 1900mm x 100mm = 17kg/23kg/30kg

Sheep Circular Force Pen (Half-moon only)

Code: 16220

- Perfect setup to force sheep in to the crush.
- The circular force pen is just the half moon section without crushes.
- Force gate comes with a brake so sheep can't push it open.
- Can take up to 50 sheep at a time, depending on the size and breed.

L x H x W = kg 6200mm x 2000mm x 5000mm = 300kg



TSK1 HD Panel

Code: 16400

- 2.0m in length and 900mm high.
- Panel have horizontal pipes.
- Gets bolted together.

L x H x W = kg 2050mm x 900mm x 40mm = 25kg



TSK2 HD Crush Panel

Code: 16420

- 2.0m in length and 900mm high.
- Panel have a solid plate at the bottom to prevent sheep from getting scared and being distracted.
- Perfect for forming a crush.
- Gets bolted together.

L x H x W = kg 2050mm x 900mm x 40mm = 23kg





TSK4 HD Drop Gate

Code: 16440

- Used in a crush to block off sheep.
- Opens by pulling the rope to lift the gate.
- Gets bolted to other HD panels.

L x H x W = kg 600mm x 1800mm x 150mm = 21kg



TSK5 HD Sorting Gate (3-way)

Code: 16450

- Perfect for sorting your sheep in the crush.
- Sorts 3-way by opening and closing the gate.
- Gets bolted to other HD panels.

L x H x W = kg 650mm x 1900mm x 650mm = 45kg



TSK HD Extension piece

Code: 16450-02

- Used with the HD Sorting Gate 3-way, to close the gap between crushes when splitting to the sides.
- Gets bolted on HD panels.

L x H x W = kg 350mm x 900mm x 40mm = 6kg

TSK5.1 HD Sorting Gate (2-way)

Code: 16450-03

- Perfect for sorting your sheep in the crush.
- Sorts 2-way by using the handle.
- Has a stopper.
- Gets bolted to other HD panels.

L x H x W = kg 1080mm x 1000mm x 580mm = 20kg



TSK6 HD Arch Frame

Code: 16460

- Used in your crush to strengthen the tunnel and prevent sheep from pushing it open.
- Gets bolted between HD panels.

L x H x W = kg 580mm x 1000mm x 40mm = 4kg



TSK9 HD Sliding Gate

Code: 16490

- Used in a crush to block off sheep.
- Opens by sliding the gate to the side.
- Gets bolted to other HD panels.

L x H x W = kg 750mm x 1000mm x 140mm = 23kg





TSK1 Sheep Panel

Code: 16500 (1.85m)

Code: 16510 (2.85m)

- Perfect for building your kraal to handle and keep small livestock.
- Connect to any TSK panel by using the steel pin supplied.
- Available in 1.85m and 2.85m lengths.

L x H x W = kg 1850/2850mm x 900mm x 30mm = 9kg/13kg



TSK2 Sheep Crush Panel

Code: 16520

- Perfect for making a crush as the sheep can't see your leg movement.
- Connect to any TSK panel by using the steel pin supplied.
- Available only in 1.85m.

L x H x W = kg 1850mm x 900mm x 30mm = 13kg



TSK3 Sheep Panel with gate

Code: 16530

- Perfect for building your kraal to handle and keep small livestock.
- Have a small gate inside the panel for animals to enter and exit.
- Connect to any TSK panel by using the steel pin supplied.
- Available only in 1.85m.

L x H x W = kg 1850mm x 900mm x 30mm = 10kg

TSK4 Sheep Drop Gate

Code: 16540

- Used inside your crush to block the animal.
- Connect to any TSK panel by using the steel pin supplied.
- Opens by pulling the rope at the top.

L x H x W = kg 600mm x 1550mm x 160mm = 12kg



TSK5 Sheep Sorting Gate

Code: 16550

- Used inside your crush to sort animals left and right.
- Connect to any TSK panel by using the steel pin supplied.
- Use the handle to operate the gate.

L x H x W = kg 600mm x 1450mm x 600mm = 15kg



TSK6 Sheep Arch Frame

Code: 16560

- Used to make your crush.
- Prevent the animals from pushing the crush sides over.
- Connect to any TSK panel by using the steel pin supplied.

L x H x W = kg 600mm x 1100mm x 60mm = 6kg





TSK7 Lamb Creep Panel

Code: 16570

- Used in front of your feeder so only lambs can access the special feed.
- Connect to any TSK panel by using the steel pin supplied.
- Available in 1.85m.

L x H x W = kg 1850mm x 900mm x 30mm = 9kg



TSK9 Sheep Spring Gate

Code: 16590

- Used inside your crush to allow only 1-way access.
- Can be used by animals or farmer.
- Connect to any TSK panel by using the steel pin supplied.

L x H x W = kg 600mm x 900mm x 150mm = 10kg



Sheep Clamp & Ramp

Code: 16610

- Perfect for dosing and inspection of the head.
- Clamp the sheep by stepping on the pedal.
- Release the sheep by pulling the lever.
- Comes with a ramp for sheep to climb in to the clamp.

L x H x W = kg 2500mm x 1300mm x 600mm = 120kg

Sheep Tilt

Code: 16620 (Tilt)

Code: 16630 (Ramp for tilt)

- Clamp and tilts the sheep on its side so you can work on them.
- Perfect for dosing, hoof trimming and inspection.
- Work at a perfect height and not on the ground.
- An optional ramp can be bought separately for sheep to climb into the tilt.

L x H x W = kg 1400/1800mm x 1500mm x 1250/600mm = 82kg/34kg



Sheep Kraal Double with gates

Code: 16650

- Used to make small lambing camps.
- 3.0m in length.
- The panel with gates have 2 small gates inside the panel in the centre.
- By using 2 x panels with gates, 1 x panel without gates and 6 x TSK1 (1.85m) panels you can make 4 small camps.

L x H x W = kg 3000mm x 900mm x 60mm = 15kg



Sheep Kraal Double

Code: 16660

- Used to make small lambing camps.
- 3.0m in length.
- Panel have no gates.
- By using 2 x panels with gates, 1 x panel without gates and 6 x TSK1 (1.85m) panels you can make 4 small camps.

L x H x W = kg 3000mm x 900mm x 60mm = 15kg





Goat hurdle

Code: 16700 (1.85m)

Code: 16701 (2.45m)

- Mesh at the bottom so prevent small lambs to pass through.
- Height of 1.2m.
- Connects to each other by using the steel pin supplied.

L x H x W = kg 1850/2450mm x 1200mm x 60mm = 14kg/20kg



Goat hurdle with gate

Code: 16720 (1.85m)

Code: 16721 (2.45m)

- Mesh at the bottom so prevent small lambs to pass through.
- Small gate inside the panel for access.
- Height of 1.2m.
- Connects to each other by using the steel pin supplied.

L x H x W = kg 1850/2450mm x 1200mm x 30mm = 14kg/20kg



Pig/Calf Kraal Side

Code: 16810 (3.0m)

Code: 16820 (2.3m)

- Used for pigs or calves.
- Available in 3.0m and 2.3m.
- Each kraal side comes with a steel pin.
- Gaps in between is 120mm to 200mm.

L x H x W = kg 3000/2300mm x 1100mm x 40mm = 27kg/21kg

Cattle Mobile Crush & Neck Clamp

Code: 17010

- It's a 2.4m crush with neck clamp on wheels.
- Guillotine gate at the back.
- Roadworthy and comes with a chevron, but no spare wheel included.
- By mounting the LS4 Scale (1000mm loadbars) at the bottom, you can use it as a scale.
- Maximum of eight 2.25m kraal sides can fit inside.

L x H x W = kg 3550mm x 2400mm x 2000mm = 490kg



Cattle Mobile Neck & Body Clamp

Code: 17050

- Neck & Body Clamp on wheels.
- Guillotine gate at the back.
- Roadworthy and comes with a chevron, but no spare wheel included.
- By mounting the LS4 Scale (1000mm loadbars) at the bottom, you can use it as a scale.
- Maximum of eight 2.25m kraal sides can fit inside.

L x H x W = kg 3450mm x 2400mm x 2100mm = 635kg



Cattle Work & Load Trailer

Code: 17110

- It's a 2.4m crush with neck clamp and loading ramp on wheels.
- Guillotine gate at the back.
- Roadworthy and comes with a chevron, but no spare wheel included.
- By mounting the LS4 Scale (1000mm loadbars) at the bottom, you can use it as a scale.
- Maximum of six 2.25m kraal sides can fit inside.

L x H x W = kg 4400mm x 2650mm x 2100mm = 600kg





Portable Kraal Unit with Trailer

Code: 17140 (without neck clamp)

Code: 17150 (with neck clamp)

- Perfect for working with cattle on different farms.
- Easy to assemble and nothing is permanent.
- Can handle up to 80 cattle, depending on size and breed.
- Option with neck clamp available.
- SABS approved and roadworthy.

L x H x W = kg 4600mm x 1850mm x 2100mm = 750kg



TLR1 Cattle Loading Ramp (static)

Code: 17510

- To minimize slipping the floor made from checker plate and steps is added.
- No wheels.
- Adjust the loading height from 0.5m to 1.5m by using the levers supplied.
- Small swivel bridge at the top to close the gap between the ramp and truck.
- Length is 3.0m and inside width 800mm.

L x H x W = kg 3300mm x 2150mm x 1100mm = 215kg



TLR2 Cattle Loading Ramp (wheelbarrow)

Code: 17520

- To minimize slipping the floor made from checker plate and steps is added.
- Wheelbarrow wheels.
- Adjust the loading height from 0.5m to 1.5m by using the levers supplied.
- Small swivel bridge at the top to close the gap between the ramp and truck.
- Length is 3.0m and inside width 800mm.

L x H x W = kg 3350mm x 2450mm x 1600mm = 275kg

TLR3 Cattle Loading Ramp (tractor speed)

Code: 17530

- To minimize slipping the floor made from checker plate and steps is added.
- 13" rim and tyres, can only be moved using a tractor.
- Adjust the loading height from 0.5m to 1.5m by using the levers supplied.
- Small swivel bridge at the top to close the gap between the ramp and truck.
- Length is 3.0m and inside width 800mm.

L x H x W = kg 3550mm x 2450mm x 1600mm = 285kg



TLR4 Cattle Loading Ramp (hi-speed)

Code: 17540

- To minimize slipping the floor made from checker plate and steps is added.
- 13" rim and tyres, can be towed on the road. Is roadworthy with chevron and lights.
- Adjust the loading height from 0.5m to 1.5m by using the levers supplied.
- Small swivel bridge at the top to close the gap between the ramp and truck.

L x H x W = kg 4100mm x 2700mm x 1600mm = 356kg



Sheep Loading Ramp (Long)

Code: 17610

- Ramp is mounted on wheelbarrow wheels for mobility on the farm.
- Solid sides so sheep don't get frightened by movement.
- 6.4m long and inside width of 500mm.
- Can be adjusted from 0.5m to 4m in height. Perfect for a double decker truck.
- Have a walkway on the side for the farmer.

L x H x W = kg 6400mm x 2400mm x 1550mm = 330kg





Sheep Loading Ramp (Mini)

Code: 17650

- Ramp is mounted on wheelbarrow wheels for mobility on the farm.
- Solid sides so sheep don't get frightened by movement.
- 2m long and inside width of 500mm.
- Can only load on to a bakkie height vehicle.

L x H x W = kg 2350mm x 1330mm x 920mm = 90kg



Cattle Spray Race (static)

Code: 18010 (with pump)

Code: 18020 (without pump)

- Cemented in to the floor.
- 4.2m in length and inside width of 800mm.
- 34 jets spraying from all four sides.
- Can dip more than 300 cattle with 1L of dip.
- Excess dip falls on the floor and runs back in to the tank through a sieve.
- Fibreglass tank can take 1300L of dip mix.

L x H x W = kg 4200mm x 2300mm x 1000mm = 270kg



Cattle Spray Race (semi-portable)

Code: 18022

- Portable, but doesn't have wheels.
- Excess dip runs back in to tank through the holes in the floor.
- Build in tank can keep 600L of dip mix.
- Can only be transported when tank is empty.
- Floor can be opened to clean the tank.
- Pump can be bought separately.

L x H x W = kg 2550mm x 2450mm x 1000mm = 480kg

Cattle Spray Race (Mobile)

Code: 18024

- Have wheels, but not roadworthy.
- Excess dip runs back in to tank through the holes in the floor.
- Build in tank can keep 600L of dip mix.
- Can only be transported when tank is empty.
- Floor can be opened to clean the tank.
- Pump can be bought separately.

L x H x W = kg 2550mm x 2450mm x 1600mm = 515kg



Water Pumps

Code: 18030 (3" Petrol)

Code: 18033 (2" Petrol)

Code: 18040 (Single phase)

Code: 18042 (Three phase)

- 3" pump is compatible with the cattle static spray race.
- 2" pump is compatible with the cattle semi-portable, cattle mobile and sheep spray race.



L x H x W = kg 500mm x 450mm x 400mm = 28kg

Cattle Main Frame & Jets

Code: 18070

- Main frame and jets for cattle static spray race.
- Only the main frame with 34 jets, no pipes, IBR sheets, sieve or tank included.

L x H x W = kg 4200mm x 2100mm x 1000mm = 115kg





Return Flow Screen (sieve)

Code: 18120

- Sieve for the cattle static spray race.
- Dip runs through the sieve in to the tank.
- Comes with the frame for the sieve.

L x H x W = kg 620mm x 350mm x 670mm = 6kg



Delivery & Suction Pipes

Code: 18130 (delivery)

Code: 18140 (suction)

- Pipes used on the cattle and sheep spray race.
- Delivery pipe connects to the pump and spray race.
- Suction pipe connects to tank with dip and pump.
- High quality yellow pipes with fittings.

L x H x W = kg 1850mm x 100mm x 100mm = 4kg (each)



Water chute

Code: 18150

- Used with the cattle static spray race.
- Serves as a gutter between the spray race floor and the tank.
- Made out of galvanised sheet.

L x H x W = kg 410mm x 100mm x 430mm = 2kg

Cattle Spray Race Tank

Code: 18180

- Used with the cattle static spray race.
- Made out of durable fibreglass and has a sump at the bottom.
- Can take up to 1300L of dip mix.
- 1.6m diameter.

L x H x W = kg 1700mm x 1000mm x 1700mm = 23kg



Sheep Spray Race

Code: 18310 (with pump) Code: 18320 (without pump)

- Economical and easy way to dip sheep and goats.
- Comes with 15 jets and sprays up to 2L of dip mix per animal.
- Works with a solenoid which gets triggered when a animal walks past.
- Rechargeable battery and can work from a 230v AC plug.
- 2" Pump and tank can be purchased separately.

L x H x W = kg 1350mm x 1050mm x 850mm = 60kg



Flowbin

Code: 18380

- Previously used flowbins.
- 1000L capacity.
- Perfect for using with the sheep spray race.
- All fittings included.

L x H x W = kg 1250mm x 1150mm x 1050mm = 50kg





Branding Oven

Code: 19740 (Short burner)

Code: 19750 (long burner)

- Perfect for heating up your branding irons and de-horning iron.
- Comes with feet, gas pipe and burner. Just connect to your own gas bottle.
- Branding irons is sold separately.
- The short burner can heat up 6 irons at a time and the long burner 12 irons at a time.

L x H x W = kg 600mm x 250mm x 160mm = 15kg



Branding Irons

Code: 1900A (Single irons)

Code: 19700 (2-in-1 iron)

Code: 19710 (3-in-1 iron)

Code: 19730 (3-in-1 fire iron)

- Gas branding irons is made for a gas oven. 500mm handle.
- Fire branding irons is made for a wood fire. 1000mm handle.
- The fire branding iron is much thicker and stronger than the gas branding iron.
- The handles is welded on to the brandmark.

L x H x W = kg 75mm x 10mm x 50mm = 1kg (each letter)



De-Horning iron

Code: 20050

- Used to de-horn small calves from one week old.
- Can be heated up on the Tal-Tec branding oven, gas flame or wood fire.
- Due to the copper head the iron gets hot quickly.

L x H x W = kg 580mm x 50mm x 50mm = 1kg

Immobilizer

Code: 20100

- Ideal restraint for painful procedures like branding, castration, de-horning, ear tagging, ect.
- Uses two clips, one connects to the lip and the other underneath the tail where it's wet.
- Different strength levels.
- Rechargeable battery that can last up to 6 hours.

L x H x W = kg 330mm x 150mm x 170mm = 2kg



Prodder

Code: 20210

- Used to make the animal move by poking them.
- By pressing the button at the back a high voltage, low current gets send to the front end which shock the animal.
- Uses 6 size "C" batteries.

L x H x W = kg 820mm x 80mm x 60mm = 1kg




Burdizzo (Castrator)

Code: 20310

- Used to castrate male animals.
- Crushes the spermatic cords but does not break the skin or the arteries.
- Due to no blood it reduces the risk for flies and infection.
- 19" head.

L x H x W = kg 500mm x 90mm x 130mm = 3kg





+2712 250 2188
+2766 299 7939
sales@taltec.co.za
www.tal-tec.co.za



Scan to Phone



Scan to Visit



Scan to Visit

7 Theuns Mulder str.
Brits, North West

